

# Data List

KOTO RUN LIST  
Run 64-65

# Data List

- Data: use min bias data
  - Run64:
    - /home/had/shiomi/work2/beam2015\_10/DataPro1\_ver2\_AddGood
  - Run65
    - /home/had/shiomi/work2/beam2015\_11/DataPro1\_AddGood
  
- MC:  $K_L \rightarrow 3\pi^0$ ,  $K_L \rightarrow 2\pi^0$ ,  $K_L \rightarrow 2\gamma$ 
  - 32 kW: use run20449 (TMon) for accidental overlay
    - /home/had/shiomi/work2/beam2015\_10/MyMC/201504v1.1\_mc\_v1\_32 kW
  - 39 kW: use run21261 (TMon) for accidental overlay
    - /home/had/shiomi/work2/beam2015\_11/MyMC/201504v1.1\_mc\_v1\_39 kW

# DAQ summary

- Run64

- good run list

- /home/had/ikamiji/work/Main/Common/data/Run64/RunList

- DAQ summary file

- /home/had/nkota/Work/RUN64\_65/Information/GoodRunSpill/Physics/RUN64\_pro1\_v1

- Run65

- good run list

- /home/had/ikamiji/work/Main/Common/data/Run65/RunList

- DAQ summary file

- /home/had/nkota/Work/RUN64\_65/Information/GoodRunSpill/Physics/RUN65\_pro1\_v1